TABLE OF CONTENTS

No. 1 January–February 1997 Issued 3 February 1997

Presidential Address

1-23 Castor, Pollux and life histories of fungi D. H. PEISTER

Review

24–36 Somatic incompatibility in basidiomycetes J. J. WORRALL

Ecology

37-42 Variations in the lipid composition of alfalfa roots during colonization with the arbuscular mycorrhizal fungus *Glomus versiforme*L. GASPAR, R. POLLERO AND M. CABELLO

Genetics/Molecular Biology

43-47 Distribution of plasmids and a plasmid-like mitochondrial sequence in the genus Agaricus M. M. ROBISON, R. W. KERRIGAN AND P. A. HORGEN

Molecular Evolution

48-65 Phylogenetic relationships among ascomycetous truffles and the true and false morels inferred from 18S and 28S ribosomal DNA sequence analysis
K. O'DONNELL, E. CIGELNIK, N. S. WEBER AND J. M. TRAPPE

Morphology/Development

- 66-71 In vitro growth of the entomopathogenic hyphomycete Nomuraea rileyi
 J. C. PENDLAND AND D. G. BOUCIAS
- 72-81 Developmental patterns defining morphological characters in spores of four species in *Glomus* S. L. STÜRMER AND J. B. MORTON

Physiology/Biochemistry

- 82-88 Growth and reproduction of *Sclerotinia trifoliorum* as influenced by herbicides S. L. REICHARD, R. M. SULC AND L. H. RHODES
- 89–91 Localization of cytoplasmic water-soluble reserve (1→3)-β-glucans in *Achlya* with immunostaining A. Shapiro and J. T. Mullins

Plant Pathogens

- 92-102 Heterokaryosis is not required for virulence of *Heterobasidion annosum*M. M. Garbelotto, H. K. Lee, G. Slaughter, T. Popenuck, F. W. Cobb and T. D. Bruns
- 103-108 Conidial germination and infection by *Diplocarpon rosae* on susceptible and resistant rose species R. J. Wiggers, J. G. West and J. Taylor

Systematics

- 109-113 Harpellales: generic confusion due to precocious development R. W. LICHTWARDT, M. C. WILLIAMS, L. C. FERRINGTON, JR. AND B. L. HAYFORD
- 114-119 Massarina ingoldiana, a new ascomycete from freshwater habitats C. A. SHEARER AND K. D. HYDE
- 120–131 Taxonomy of selected members of the ascomycete genus *Capronia* with notes on anamorph-teleomorph connections
 W. A. UNTEREINER

TABLE OF CONTENTS

No. 1 January–February 1997 Issued 3 February 1997

Presidential Address

1-23 Castor, Pollux and life histories of fungi D. H. PEISTER

Review

24–36 Somatic incompatibility in basidiomycetes J. J. WORRALL

Ecology

37-42 Variations in the lipid composition of alfalfa roots during colonization with the arbuscular mycorrhizal fungus *Glomus versiforme*L. GASPAR, R. POLLERO AND M. CABELLO

Genetics/Molecular Biology

43-47 Distribution of plasmids and a plasmid-like mitochondrial sequence in the genus Agaricus M. M. ROBISON, R. W. KERRIGAN AND P. A. HORGEN

Molecular Evolution

48-65 Phylogenetic relationships among ascomycetous truffles and the true and false morels inferred from 18S and 28S ribosomal DNA sequence analysis
K. O'DONNELL, E. CIGELNIK, N. S. WEBER AND J. M. TRAPPE

Morphology/Development

- 66-71 In vitro growth of the entomopathogenic hyphomycete Nomuraea rileyi
 J. C. PENDLAND AND D. G. BOUCIAS
- 72-81 Developmental patterns defining morphological characters in spores of four species in *Glomus* S. L. STÜRMER AND J. B. MORTON

Physiology/Biochemistry

- 82-88 Growth and reproduction of *Sclerotinia trifoliorum* as influenced by herbicides S. L. REICHARD, R. M. SULC AND L. H. RHODES
- 89–91 Localization of cytoplasmic water-soluble reserve (1→3)-β-glucans in *Achlya* with immunostaining A. Shapiro and J. T. Mullins

Plant Pathogens

- 92-102 Heterokaryosis is not required for virulence of *Heterobasidion annosum*M. M. Garbelotto, H. K. Lee, G. Slaughter, T. Popenuck, F. W. Cobb and T. D. Bruns
- 103-108 Conidial germination and infection by *Diplocarpon rosae* on susceptible and resistant rose species R. J. Wiggers, J. G. West and J. Taylor

Systematics

- 109-113 Harpellales: generic confusion due to precocious development R. W. LICHTWARDT, M. C. WILLIAMS, L. C. FERRINGTON, JR. AND B. L. HAYFORD
- 114-119 Massarina ingoldiana, a new ascomycete from freshwater habitats C. A. SHEARER AND K. D. HYDE
- 120–131 Taxonomy of selected members of the ascomycete genus *Capronia* with notes on anamorph-teleomorph connections
 W. A. UNTEREINER

- 132–140 New species of *Hyphoderma* from Taiwan S.-H. Wu
- 141–155 Fungicolous pyrenomycetes 1. *Helminthosphaeria* and the new family Helminthosphaeriaceae G. J. SAMUELS, F. CANDOUSSAU AND J.-F. MAGNI
- 156-162 Fungicolous pyrenomycetes 2. Ascocodinaea, gen. nov., and reconsideration of Litschaueria G. J. SAMUELS, F. CANDOUSSAU AND J.-F. MAGNI
- 163-172 Ascochyta mycoparasitica sp. nov., a novel mycoparasite of Sclerotium oryzae in California rice fields R. D. CARTWRIGHT, R. K. WEBSTER AND C. M. WICK
- 173-180 A new species of *Pleurotus*R. H. PETERSEN AND K. W. HUGHES

Instructions to Authors 1997 181–183

No. 2 March—April 1997 Issued 1 April 1997

Cell Biology/Ultrastructure

- 185-194 Immunocytochemical and cytochemical localization of chitinase and chitin in the infected hosts of a biotrophic mycoparasite, *Piptocephalis virginiana*M. S. MANOCHA AND Z. ZHONGHUA
- 195-198 Further studies on the flagellar apparatus in Oomycetes; anterior roots D. J. S. BARR AND N. L. DÉSAULNIERS

Ecology

- 199-219 Comparison of wood decay among diverse lignicolous fungi J. J. WORRALL, S. E. ANAGNOST AND R. A. ZABEL
- 220-227 Suppression of an entomopathogenic nematode by the nematode-trapping fungi Geniculifera paucispora and Monacrosporium eudermatum as affected by the fungus Arthrobotrys oligospora

 A. M. KOPPENHÖFER, B. A. JAFFEE, A. E. MULDOON AND D. R. STRONG
- 228–232 Artificial ectomycorrhiza formation on roots of air-layered *Pinus densiflora* saplings by inoculation with *Lyophyllum shimeji*M. KAWAI

Ethnomycology

233–240 Haploporus odorus: A sacred fungus in traditional Native American culture of the northern plains R. A. BLANCHETTE

Genetics/Molecular Biology

- 241–243 Myxomycete reproductive systems: Stemonitis species J. Clark
- 244–249 Species of the genus *Filobasidiella* differ in the organization of their 5S rRNA genes K. J. Kwon-Chung, Y. C. Chang and L. Penoyer

Molecular Evolution

- 250-257 The phylogenetic relationships of two trichothecene-producing hyphomycetes, Spicellum roseum and Trichothecium roseum

 K. A. SEIFERT, G. LOUIS-SEIZE AND M. E. SAVARD
- 258-267 Phylogenetic relationships within Sarcoscypha based upon nucleotide sequences of the internal transcribed spacer of nuclear ribosomal DNA F. A. HARRINGTON AND D. POTTER

Morphology/Development

- 268–273 Light and electron microscopy of *Zoophagus tentaclum*, a rediscovered rotifer-capturing aquatic fungus from Japan
 M. SAIKAWA
- 274–277 Morphogenetic cell death in developing primordia of *Agaricus bisporus* M. H. UMAR AND L. J. L. D. VAN GRIENSVEN
- 278–288 Type studies of Amanita morenoi and Amanita pseudospreta and a reinterpretation of crassospores in Amanita

 R. E. TULLOSS AND R. E. HALLING

Physiology/Biochemistry

- 289-292 Metalaxyl stimulation of growth of isolates of *Phytophthora infestans* S. Zhang, D. G. Panaccione and M. E. Gallegly
- 293–297 RNA accumulation and genes expressed in spores of the arbuscular mycorrhizal fungus, *Gigaspora rosea* P. Franken, L. Lapopin, G. Meyer-Gauen and V. Gianinazzi-Pearson

Plant Pathogens

298–303 Botryosphaeria mamane sp. nov. associated with witches'-brooms on the endemic forest tree Sophora chrysophylla in Hawaii

D. E. GARDNER

Systematics

- 304–308 Revision of the genus *Phragmospathula*A. Mercado Sierra, J. Mena Portales and M. J. Figueras
- 309–318 The genus Gibellula on spiders from Taiwan S. S. TZEAN, L. S. HSIEH AND W. J. WU
- 319–324 The genus Akanthomyces on spiders from Taiwan L. S. HSIEH, S. S. TZEAN AND W. J. WU
- 325–331 Species of *Corethromyces* parasitic on rove beetles of the genus *Scopaeus* S. SANTAMARIA
- 332-338 A new *Ophiostoma* species with a *Graphium* anamorph from *Larix laricina* in eastern North America K. JACOBS, M. J. WINGFIELD AND D. R. BERGDAHL
- 339–345 Glomus gibbosum, a new species from Poland I. BŁOASZKOWSKI

Book Reviews

346-352

No. 3 May-June 1997 Issued 2 June 1997

Cell Biology/Ultrastructure

- 353-360 Magainin 2 effects on the ultrastructure of the five plant pathogens E. S. Kristyanne, K. S. Kim and J. McD. Stewart
- 361–374 Nuclear behavior in homokaryotic and heterokaryotic fruiting of *Thanatephorus cucumeris* (*Rhizoctonia solani*) anastomosis group 1, subgroup IC
 M. C. JULIAN, A. M. DULLEMANS, C. H. VAN SILFHOUT AND J. KEIJER

Ecology

375–382 A hypocrealean epibiont on meristems of *Baccharis coridifolia* M. D. Bertoni, N. Romero, P. V. Reddy and J. F. White, Jr.

383-392 Effect of temperature on vegetative growth of *Beauveria bassiana* isolates from different origins J. Fargues, M. S. Goettel, N. Smits, A. Ouedraogo and M. Rougier

Genetics/Molecular Biology

393–399 Mating systems in *Xeromphalina* species J. E. JOHNSON AND R. H. PETERSEN

Molecular Evolution

- 400-407 Phylogeny of the genus Lentinula based on ribosomal DNA restriction fragment length polymorphism analysis
 M. S. NICHOLSON, B. A. BUNYARD AND D. J. ROYSE
- 408-419 An examination of structural features and relationships in *Balansia* subgenus *Dothichloë* J. F. White, Jr., P. V. Reddy, A. E. Glenn and C. W. Bacon
- 420–430 Relationships among *Colletotrichum* isolates from fruit-rots assessed using rDNA sequences P. R. JOHNSTON AND D. JONES
- 431-441 Molecular systematics of Clavicipitaceae supporting monophyly of genus *Epichloë* and form genus *Ephelis* G. A. KULDAU, J.-S. LIU, J. F. WHITE, JR., M. R. SIEGEL AND C. L. SCHARDL
- 442-460 Revision of Trichoderma sect. Longibrachiatum including related teleomorphs based on analysis of ribosomal DNA internal transcribed spacer sequences
 K. KUHLS, E. LIECKFELDT, G. J. SAMUELS, W. MEYER, C. P. KUBICEK AND T. BÖRNER

Morphology/Development

461-467 Branching dynamics in *Cladina subtenuis* S. HAMMER

Physiology/Biochemistry

- 468-480 Sensitivity of Texas strains of *Ceratocystis fagacearum* to triazole fungicides A. D. WILSON AND L. B. FORSE
- 481–483 Zinc content of sporocarps of basidiomycetous fungi J. Vetter, I. Siller and Zs. Horváth

Systematics

- 484-493 Retrostium amphiroae gen. et sp. nov. inhabiting a marine red alga, Amphiroa zonata A. NAKAGIRI AND T. ITO
- 494-502 Pseudodidymella fagi gen. et sp. nov. and its hyphomycete anamorph Pycnopleiospora fagi gen. et sp. nov. on Fagus crenata in Japan
 C. Z. Wei, Y. Harada and K. Katumoto
- 503–511 New *Hypoxylon* species from Papua New Guinea and notes on some other taxa K. VAN DER GUCHT, Y.-M. JU AND J. D. ROGERS
- 512–520 Two new hypocrealean fungi with synnematous anamorphs K. A. SEIFERT AND G. J. SAMUELS
- 521-523 Dactylella attenuata sp. nov. and Dactylaria fusiformis from Yunnan Province, China R.-H. GAO, X-Z. LIU, L.-P. LEI AND T.-F. LI

No. 4 July-August 1997 Issued 1 August 1997

Ecology

- 525-530 Persistence of *Sphaeropsis sapinea* on or in asymptomatic shoots of red and jack pines G. R. STANOSZ, D. R. SMITH, M. A. GUTHMILLER AND J. C. STANOSZ
- 531-536 Two foliose lichens as microfungal ecological niches M. GIRLANDA, D. ISOCRONO, C. BIANCO AND A. M. LUPPI-MOSCA

- 537-546 Ecology and description of a new species of *Ophiognomonia* endophytic in the leaves of *Quercus emoryi* D. WILSON, M. E. BARR AND S. H. FAETH
- 547–550 Identification of arbuscular mycorrhizal fungi from Artemisia californica using the polymerase chain reaction
 S. K. HARNEY, F. S. EDWARDS AND M. F. ALLEN

Genetics/Molecular Biology

- 551-557 Mendelian inheritance of teliospore production in *Uromyces appendiculatus* B. D. McCallum, J. V. Groth and A. P. Roelfs
- 558–565 Vegetative compatibility between and within *Epichloë* species K.-R. Chung and C. L. Schardl
- 566–577 Intersterility groups in *Collybia subnuda* J. F. Murphy
- 578–585 Inheritance of the ability for ectomycorrhizal colonization of *Pinus strobus* by *Laccaria bicolor* B. R. Kropp

Molecular Evolution

- 586-589 Molecular revisitation of the genus Gastrosuillus
 A. Kretzer and T. D. Bruns
- 590-597 Restriction analysis of internal transcribed spacers and the small subunit gene of ribosomal DNA among four *Gaeumannomyces* species
 H. M. FOULY, H. T. WILKINSON AND W. CHEN

Morphology/Development

598-602 Sclerotial biogenesis in the basidiomycete *Sclerotium rolfsii*. A scanning electron microscope study F. Zarani and C. Christias

Physiology/Biochemistry

- 603–609 Factors affecting zygosporogenesis in *Mucor piriformis* and *Gilbertella persicaria* T. J. MICHAILIDES, L.-Y. GUO AND D. P. MORGAN
- 610–614 Partial purification and characterization of a lipolytic enzyme from spores of the arbuscular mycorrhizal fungus *Glomus versiforme*M. L. GASPAR, R. POLLERO AND M. CABELLO

Systematics

- 615–638 Agaricales of the Hawaiian Islands. 4: Hygrophoraceae D. E. DESJARDIN AND D. E. HEMMES
- 639-642 Lancisporomyces, a new genus of Trichomycetes with lance-shaped zygospores S. Santamaria
- 643-652 Fusarium thapsinum (Gibberella thapsina): A new species in section Liseola from sorghum C. J. R. KLITTICH, J. F. LESLIE, P. E. NELSON AND W. F. O. MARASAS
- 653-660 New species of *Calonectria* and *Cylindrocladium* isolated from soil in the tropics P. W. Crous, G. R. A. Mchau, W. H. Van Zyl and M. J. Wingfield
- 661–669 Ceratocystiopsis brevicomi sp. nov., a mycangial fungus from Dendroctonus brevicomis (Coleoptera: Scolytidae)
 P. T.-W. HSIAU AND T. C. HARRINGTON
- 670–688 The genus *Inocybe* in Montana aspen stands C. L. CRIPPS

Erratum

557 Suppression of an entomopathogenic nematode by the nematode-trapping fungi Geniculifera paucispora and Monacrosporium eudermatum as affected by the fungus Arthrobotrys oligospora A. M. KOPPENHÖFER, B. A. JAFFEE, A. E. MULDOON AND D. R. STRONG

No. 5 September-October 1997

Issued 1 October 1997

Cell Biology/Ultrastructure

- 689-697 Using microdensitometry to correlate cell morphology with the nuclear cycle in *Ustilago maydis* K. M. SNETSELAAR AND M. P. MCCANN
- 698-705 Haustorial ultrastructure and morphology of *Melampsorella* and *Thekopsora areolata* R. Berndt and F. Oberwinkler

Ecology

- 706-711 Ecological and physiological characterization of *Humicola marvinii*, a new psychrophilic fungus from fellfield soils in the maritime Antarctic
 R. N. Weinstein, M. E. Palm, K. Johnstone and D. D. Wynn-Williams
- 712–721 Ecology of hypogeous fungi associated with ponderosa pine. I. Patterns of distribution and sporocarp production in some Arizona forests
 J. S. States and W. S. Gaud

Genetics/Molecular Biology

722-726 Potential diversity in vegetative compatibility types of *Ophiostoma novo-ulmi* in North America M. G. MILGROOM AND C. M. BRASIER

Molecular Evolution

- 727-734 Phylogenetic analysis of *Trichaptum* based on nuclear 18S, 5.8S and ITS ribosomal DNA sequences K. S. Ko, S. G. HONG AND H. S. JUNG
- 735-744 Meria laricis, an anamorph of Rhabdocline D. S. GERNANDT, F. J. CAMACHO AND J. K. STONE
- 745-755 Phylogenetic relationships in the family Hyaloscyphaceae inferred from sequences of ITS regions, 5.8S ribosomal DNA and morphological characters
 S. A. CANTRELL AND R. T. HANLIN
- 756–771 Polyphyletic origins of species of the anamorphic genus Geosmithia and the relationships of the cleistothecial genera: Evidence from 18S, 5S and 28S rDNA sequence analyses H. Ogawa, A. Yoshimura and J. Sugiyama

Morphology/Development

772-776 Dual culture of *Solanum tuberosum* and *Synchytrium endobioticum* (pathotype 2) M. C. Hampson, J. W. Coombes and S. C. Debnath

Physiology/Biochemistry

- 777-785 Correlation between endoglucanase secretion and cell wall strength in oomycete hyphae: implications for growth and morphogenesis
 N. P. MONEY AND T. W. HILL.
- 786-792 Tolerance to high temperature and salt stress by a salt marsh isolate of *Aureobasidium pullulans* A. P. TORZILLI

Plant Pathogens

- 793-800 The influence of nutrients on development, resting hyphae and aleuriospore induction of *Thielaviopsis basicola* M. E. HOOD AND H. D. SHEW
- 801–803 *Uredo vetus* sp. nov., the first record of a rust on *Selaginella*, and the use of the name *Uredo* J. F. HENNEN

Systematics

804–811 Glomus multiforum and G. verruculosum, two new species from Poland J. Błaszkowski and M. Tadych

812-818 Ascovaginospora stellipala gen. et sp. nov. from sphagnum bogs P. M. Fallah, C. A. Shearer and W. Chen

Book Reviews

819-823

No. 6 November-December 1997

Issued 1 December 1997

Animal Pathogens

- 825–829 Entomopathogenic hyphomycetes associated with gypsy moth larvae A. E. HAJEK, J. S. ELKINTON AND R. A. HUMBER
- 830–836 Factors affecting Coelomomyces stegomyiae infections in adult Aedes aegypti M. A. Shoulkamy, C. J. Lucarotti, M. S. T. El-Ktatny and S. K. M. Hassan

Ecology

- 837–845 Soil fungal communities in a young and an old *Alnus viridis* coenosis S. SAMPÓ, R. BERGERO, G. BUFFA AND A. M. LUPPI-MOSCA
- 846-857 Patterns of fungal communities that inhabit rodent food stores: effect of substrate and infection time J. Herrera, C. L. Kramer and O. J. Reichman
- 858-866 Ophiostoma clavigerum is the mycangial fungus of the Jeffrey pine beetle, Dendrocotonus jeffreyi D. L. SIX AND T. D. PAINE

Fungal Pathogens

867–875 Black spot disease of *Lentinula edodes* caused by the *Hyphozyma* synanamorph of *Eleutheromyces subulatus* A. TSUNEDA, S. MURAKAMI, W. M. GILL AND N. MAEKAWA

Molecular Evolution

- 876–884 Phylogeny of the genus Arthrobotrys and allied nematode-trapping fungi based on rDNA sequences G. Y. LIOU AND S. S. TZEAN
- 885–899 Nuclear rDNA phylogeny of the Sclerotiniaceae A. HOLST-JENSEN, L. M. KOHN AND T. SCHUMACHER

Morphology/Development

- 900–907 Growth dynamics in *Cladonia grayi* S. HAMMER
- 908–915 Coprophilous fungi in New Zealand. II. Podospora species with coriaceous perithecia A. Bell and D. P. Mahoney

Physiology/Biochemistry

916–923 Kinetics of asymmetric mycelial growth and control by dikaryosis and light in *Schizophyllum commune* K. K. KLEIN, J. LANDRY, T. FRIESEN AND T. LARIMER

Plant Pathogens

924–936 Erratomyces, a new genus of Tilletiales with species on Leguminosae M. Piepenbring and R. Bauer

Systematics

- 937–941 A new species of *Emericella* from Indian soil A. M. STCHIGEL AND J. GUARRO
- 942–951 Pseudoclathrosphaerina evamariae gen. et sp. nov. and Sympodioclathra globosa gen. et sp. nov., two new aeroaquatic fungi similar to Clathrosphaerina
 H. VOGLMAYR AND I. KRISAI-GREILHUBER

- 952–954 Mycena anoectochila sp. nov. isolated from mycorrhizal roots of Anoectochilus roxburghii from Xishuangbanna, China S.-X. Guo, L. Fai, W.-Q. Cao, J.-T. Xu and P.-G. Xiao
- 955-961 Two new cleistothecial Ascomycetes from Iraq J. Guarro, A. H. Al-Saadoon, J. Gené and S. K. Abdullah
- 962–966 Barrina, a new genus with polysporous asci A. W. RAMALEY
- 967-970 Endomelanconium microsporum, a new coelomycete isolated from soil in Papua New Guinea G. J. M. Verkley and H. A. van der Aa

Memorial

971-974 Frank Leslie Howard, 1903-1997 R. D. Goos

Erratum

976 Vegetative compatibility between and within *Epichloë* species K.-R. CHUNG AND C. L. SCHARDL

Index

977-996

PUBLICATION DATES

Issues for Volume 88, 1996, were published on the dates indicated.

88(1): 9 February 1996 88(2): 15 April 1996

88(3): 14 June 1996

88(4): 15 August 1996 88(5): 15 October 1996 88(6): 21 January 1997